

# MATERIAL SAFETY DATA SHEET

Issuing date 2013-11-12

Revision Date 2013-11-12

Version 5

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product name:** Rapid Access Developer  
KODAK Rapid Access Dental Developer

**Product code:** 1838374DEV

**Supplier** Carestream Health, Inc., 150 Verona Street, Rochester, New York 14608

Emergency telephone number  
CHEMTREC: +1-703-527-3887 (INTERNATIONAL)  
1-800-424-9300 (NORTH AMERICA)

For other information contact: 800-328-2910

**Product Use:** Photographic chemical. Restricted to professional users.

## 2. HAZARDS IDENTIFICATION

### Warning!

#### Emergency Overview

Causes eye irritation.  
Risk of serious damage to eyes  
May cause burns of eyes, skin and mucous membranes  
May be harmful if swallowed

**Physical state** liquid

**Odor** Slight

**Color** clear light yellow

#### HMIS

**Health Hazard** - 2\*

**Flammability** - 1

**Physical - 0  
Hazard**

#### Potential Health Effects

**Eyes**

Irritating to eyes. Expected to be severely irritating or corrosive based on components present in formulation and the pH of the overall product.

**Skin**

Expected to be severely irritating or corrosive based on components present in formulation and the pH of the overall product. Prolonged or repeated contact may dry skin and cause irritation.

**Inhalation**

Inhalation of mist is expected to cause respiratory irritation. Contact with strong acids liberates sulfur dioxide.

**Ingestion**

May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

**Chronic Effects**

**Chronic toxicity**

Effects expected to be similar to those seen acutely.

**Aggravated Medical Conditions**

Preexisting eye disorders. Skin disorders. Respiratory disorders.

**Environmental hazard** See Section 12 for additional Ecological Information.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Hazardous**

Chemical Name	CAS-No	Weight %
Potassium sulfite	10117-38-1	5-10
Hydroquinone	123-31-9	5-10
Sodium borate	1330-43-4	0.1-1
Potassium hydroxide	1310-58-3	<0.1

**Non-Hazardous**

Chemical Name	CAS-No	Weight %
Water	7732-18-5	>60

### 4. FIRST AID MEASURES

**General advice** IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

**Eye contact** Immediate medical attention is required. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes.

**Skin contact** Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. Get medical attention immediately if symptoms occur.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately if symptoms occur.

**Ingestion** If swallowed, call a poison control center or doctor immediately. Do not induce vomiting without medical advice. Clean mouth with water and afterwards drink plenty of water. Never give anything by mouth to an unconscious person.

**Notes to physician** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

**Flash point:** Does not flash

**Suitable Extinguishing Media** Use CO2, dry chemical, or foam.

**Unsuitable Extinguishing Media** Do not use a solid water stream as it may scatter and spread fire.

**Hazardous Combustion Products** Hazardous decomposition products due to incomplete combustion.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**NFPA** Health Hazard - 2 Flammability - 1 Stability - 0

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions** For personal protection see section 8. Ensure adequate ventilation.
- Methods for Containment** Prevent further leakage or spillage if safe to do so.
- Methods for cleaning up** Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.
- Other information** See Section 12 for additional information.

**7. HANDLING AND STORAGE**

- Advice on safe handling** Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Wash thoroughly after handling.
- Technical measures/Storage conditions** Keep container tightly closed in a dry and well-ventilated place.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Exposure Guidelines**

Chemical Name	ACGIH TLV	AIHA - Workplace Environmental Exposure Levels (WEELs) - TWAs	OSHA PEL	Advisory OEL
Hydroquinone 123-31-9	TWA: 1 mg/m <sup>3</sup>		TWA: 2 mg/m <sup>3</sup>	
Sodium borate 1330-43-4	STEL 6 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>			
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>			

**Occupational Exposure Controls**

- Engineering Measures** Ensure adequate ventilation. Apply technical measures to comply with the occupational exposure limits.
- Personal Protective Equipment**
- General Information** These recommendations apply to the product as supplied.
- Respiratory protection** Use only with adequate ventilation. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.
- Eye/Face Protection** Safety glasses with side-shields. If splashes are likely to occur, wear:: Goggles.
- Skin and body protection** Wear suitable protective clothing.
- Hand Protection** Impervious gloves.
- Other Protective Equipment** Ensure that eyewash stations and safety showers are close to the workstation location.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Physical state** liquid  
**ph** 12.2  
**Odor** Slight  
**Color** clear light yellow

**Flash point:** Does not flash  
**Boiling point/boiling range** > 100 °C

**Autoignition temperature:** No information available

**Vapor Pressure** 24 mbar @ 20 °C  
**Vapor density** 0.6  
**Density** No information available  
**Water Solubility** completely soluble  
**Melting point/range:** No information available  
**Specific Gravity** 1.12  
**Bulk Density:** No information available

10. STABILITY AND REACTIVITY

**Stability** Stable under normal conditions.  
**Incompatible products** Oxidizing agents. Strong acids.  
**Conditions to Avoid** Heat, flames and sparks.  
**Hazardous Decomposition Products** Carbon oxides, Sulfur oxides.  
**Hazardous Polymerization** Hazardous polymerization does not occur.  
**Hazardous Reactions** Contact with strong acids liberates sulfur dioxide.

11. TOXICOLOGICAL INFORMATION

Acute toxicity - Product Information

**Skin** Expected to be severely irritating or corrosive based on components present in formulation and the pH of the overall product. Prolonged or repeated contact may dry skin and cause irritation.

**Eyes** Irritating to eyes. Expected to be severely irritating or corrosive based on components present in formulation and the pH of the overall product.

**Inhalation** Inhalation of mist is expected to cause respiratory irritation. Contact with strong acids liberates sulfur dioxide.

**Ingestion** May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	90,000 mg/kg ( Rat )		
Hydroquinone	320 mg/kg ( Rat )	> 4800 mg/kg (Rat)	
Sodium borate	2403 mg/kg ( Rat )	2000 mg/kg ( Rabbit )	
Potassium hydroxide	214 mg/kg ( Rat )		
<b>Chemical Name</b>	<b>Other applicable information</b>		
Potassium sulfite	Moderate skin irritation		

Hydroquinone	<p>Moderate eye irritation                  Causes sensitization on guinea-pigs.                  Mild skin irritation                  Can be absorbed through skin.                  (1.1 ug/cm2/hr)                  Negative in bacterial mutagenicity assays. Evidence for mutagenicity (chromosome breakage, sister-chromatid exchanges) in in vivo and in vitro animal studies.                  Hydroquinone has been classified as a Category 3 mutagen and carcinogen by the European Union based on testing of rats and mice given hydroquinone by stomach tube or at high dietary levels. The International Agency for Research on Cancer (IARC) under ranking for cancer potential has classified hydroquinone in Group 3, i.e. "not classifiable" as a carcinogen. In the European Union a Category 3 mutagen attracts the risk phrase R68 "Possible risk of irreversible effects" at concentrations above 1%, and a Category 3 carcinogen attracts the risk phrase R40 "Limited evidence of a carcinogenic effect" at concentrations above 1%. Exposure to products containing such substances should be controlled to below established control limits and special care should be taken with pregnant or breast-feeding women to ensure appropriate controls are in place to control the risk.</p>
Sodium borate	<p>Based on repeated-dose ingestion studies in animals, may cause adverse reproductive and developmental effects. However, the doses administered were many times those to which humans would normally be exposed.</p>
Potassium hydroxide	<p>Severe skin irritation                  Causes eye burns</p>

**Subchronic toxicity** No information available

**Chronic toxicity** Effects expected to be similar to those seen acutely.

**Carcinogenicity** Contains a known or suspected carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydroquinone	A3			

**ACGIH: (American Conference of Governmental Industrial Hygienists)**  
 A3 - Animal Carcinogen

**Sensitization** This mixture contains hydroquinone which is classified as a dermal sensitizer in some jurisdictions. A very similar mixture was negative in dermal sensitization studies with and without prior sensitization to hydroquinone. Based on the results of these studies, this mixture is not expected to present a dermal sensitization hazard to humans.

**mutagenic effects** No specific testing was done on this product. Mutagenic testing of the hazardous ingredient in this product has resulted in some positive mutagenic results.

**Reproductive toxicity** Contains ingredients that are suspected reproductive hazards. However, based on available data the product should not be classified for reproductive effects.

**Target Organ Effects** Skin, Eyes, Respiratory system.

12. ECOLOGICAL INFORMATION

**Ecotoxicity**

**Ecotoxicity effects** Very toxic to aquatic organisms.

Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Potassium sulfite		LC50 220 - 460 mg/L <i>Leuciscus idus</i> 96 h	
Hydroquinone	13.5 mg/L EC50 120 h ( <i>Desmodesmus subspicatus</i> ) 0.335 mg/L EC50 72 h ( <i>Pseudokirchneriella subcapitata</i> )	LC50 0.1 - 0.18 mg/L <i>Pimephales promelas</i> 96 h LC50= 0.044 mg/L <i>Pimephales promelas</i> 96 h LC50= 0.17 mg/L <i>Brachydanio rerio</i> 96 h LC50= 0.044 mg/L <i>Oncorhynchus mykiss</i> 96 h	EC50 = 0.29 mg/L 48 h ( <i>Daphnia magna</i> )
Sodium borate	158 mg/L EC50 96 h ( <i>Desmodesmus subspicatus</i> ) 2.6 - 21.8 mg/L EC50 96 h ( <i>Pseudokirchneriella subcapitata</i> )	LC50= 340 mg/L <i>Limanda limanda</i> 96 h	LC50 1085 - 1402 mg/L 48 h ( <i>Daphnia magna</i> )
Potassium hydroxide		LC50= 80 mg/L <i>Gambusia affinis</i> 96 h	

**Persistence and degradability** No data is available on the product itself. Expected to be readily biodegradable.

**Bioaccumulation:** - No information available

**Mobility** - No information available

Chemical Name	log Pow
Hydroquinone	0.5
Potassium hydroxide	0.65
	0.83

**Other adverse effects**

No information available

**13. DISPOSAL CONSIDERATIONS**

**Waste Disposal Methods** Should not be released into the environment. Dispose of in accordance with local regulations.

**Contaminated packaging** Do not re-use empty containers. Dispose of in accordance with local regulations.

**14. TRANSPORT INFORMATION**

The information given below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions. Please consult the product packaging for further details.

**DOT**

**UN/ID No** UN3266  
**Proper Shipping Name** Corrosive liquid, basic, inorganic, n.o.s.  
**Technical Name** Hydroquinone, Potassium hydroxide  
**Hazard class** 8  
**Packing Group** III  
**Special Provisions** IB3, T7, TP1, TP28  
**Emergency Response Guide Number** 154

**TDG**

**UN/ID No** UN3266  
**Proper Shipping Name** Corrosive liquid, basic, inorganic, n.o.s.

Product code: 1838374DEV

Version 5

Revision Date 2013-11-12

Page 7 / 9

---

<b>Technical Name</b>	Hydroquinone, Potassium hydroxide
<b>Hazard class</b>	8
<b>Packing Group</b>	III

**ICAO/IATA**

<b>UN/ID No</b>	UN3266
<b>Proper Shipping Name</b>	Corrosive liquid, basic, inorganic, n.o.s.
<b>Technical Name</b>	Hydroquinone, Potassium hydroxide
<b>Hazard class</b>	8
<b>Packing Group</b>	III
<b>ERG Code</b>	8L
<b>Special Provisions</b>	A3, A803

**IMDG/IMO**

<b>UN/ID No</b>	UN3266
<b>Proper Shipping Name</b>	Corrosive liquid, basic, inorganic, n.o.s.
<b>Technical Name</b>	Hydroquinone, Potassium hydroxide
<b>Hazard class</b>	8
<b>Packing Group</b>	III
<b>EmS No.</b>	F-A, S-B
<b>Special Provisions</b>	223, 274
<b>Marine pollutant</b>	Hydroquinone

This corrosive material, as per 49 CFR §173.154 and when the product meets the packaging requirements of 49 CFR §173.154 (b)(2) [inner packagings not over 5.0 L (1.3 gallons) net capacity each for liquid] is excepted from labeling and placarding requirements so long as the material is not offered for transport by aircraft.

## 15. REGULATORY INFORMATION

**International Inventories**

<b>TSCA</b>	Complies
<b>DSL/NDSL</b>	Complies
<b>EINECS/ELINCS</b>	Complies
<b>ENCS</b>	Complies
<b>IECSC</b>	Complies
<b>KECL</b>	Complies
<b>PICCS</b>	Complies
<b>AICS</b>	Complies
<b>NZIoC</b>	Complies

**Legend**

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**U.S. Federal Regulations**

---

Product code: 1838374DEV

Version 5

Revision Date 2013-11-12

Page 8 / 9

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
Hydroquinone - 123-31-9	1.0

### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:

Chemical Name	HAPS data	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Hydroquinone - 123-31-9		Group I		

### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	SARA Product RQ
Hydroquinone	100 lb	100 lb	

### TSCA

Component	U.S. - TSCA (Toxic Substances Control Act) - Section 8(d) - 716.120(a) - Health and Safety Reporting - List of Substances
Hydroquinone 123-31-9 ( 5-10 )	10/04/1984

### U.S. State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Hydroquinone	X	X	X	X	X
Sodium borate	X		X		

### International Regulations

#### Mexico - Grade

Moderate risk, Grade 2

Chemical Name	Carcinogen Status	Exposure Limits
Hydroquinone	A3	Mexico: TWA 2 mg/m <sup>3</sup>
Sodium borate		Mexico: TWA 1 mg/m <sup>3</sup>



---

16. OTHER INFORMATION

**Disclaimer for Label**

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

**Warning!**

- Contains:

Hazardous Components

Chemical Name	CAS-No	Weight %
Potassium sulfite	10117-38-1	5-10
Hydroquinone	123-31-9	5-10
Sodium borate	1330-43-4	0.1-1
Potassium hydroxide	1310-58-3	<0.1

Causes eye irritation. Risk of serious damage to eyes. May cause burns of eyes, skin and mucous membranes. May be harmful if swallowed.

Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Wash thoroughly after handling.

IF IN EYES: Flush eyes for at least 15 minutes. Get medical attention.

If swallowed, call a poison control center or doctor immediately. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person.

Additional information is given in the Material Safety Data Sheet.

**Disclaimer**

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

---